

# LOGISTICS REDEFINED


**ATS**

[www.atsworld.com](http://www.atsworld.com)



**ATS** is a fully integrated logistics company with ISO 9001 & ISO 14001 standards, specializing in Road, Air & Sea Freight, Warehouse distribution, Liquid Terminal, Road Transportation and On-site logistics. With its headquarters in Dubai, UAE, **ATS** operates across India (Mumbai/Mangalore), Oman (Sohar), Bahrain, Europe (Belgium), and USA (Texas).

Founded in 1991, the company has grown by leaps and bounds ever since. Growing from strength to strength, its range of services has continuously expanded over the years. **ATS** completes 26 years in the industry and is a multi-modal organization that has established itself as a leading NVOCC in the region. Logistics remains its core strength. Complementing that nucleus, **ATS** range of services has expanded to include storage, distribution, and terminal services. **ATS** caters to the global Shipping, Logistics, and Marine Industries. With its own dedicated fleet and an international network of services, **ATS** maintains enviable service standards.



## AWARDS AND RECOGNITION

- 2016, 2017 - TOP CUSTOMER AWARD, HAPAG LLOYD
- 2005, 2008 to 2017 - PLATINUM AWARD, MAERSK LINE
- 2010 to 2016 - TOP CUSTOMER AWARD, CMA
- 2011, 2012, 2016 - TOP CUSTOMER AWARD, SAFMARINE
- 2015 - TOP IMPORTER AWARD, HMM
- 2013, 2014 - PLATINUM AWARD, SAFMARINE
- 2003, 2004 - GOLD AWARD, MAERSK LINE
- 2003 - BEST PERFORMANCE AWARD, NYK LOGISTICS
- 2017: TRANSPORT ARABIA - SUPPLY CHAIN SOLUTIONS PROVIDER OF THE YEAR



## MEMBERSHIP



## OUR MISSION

Provide quality services to meet customers demand  
Delivering solutions to customers in time  
Investing in technology and human resources  
Building a Global profitable enterprise

## OUR VISION

To be recognized as a quality operator in the Global logistics arena by offering innovative solutions and constantly work towards improving industry standards, customer satisfaction, stable growth and profitability

## FACTS AND FIGURES

**100,000**  
CONTAINERS  
(TEU) PER ANNUM

**400<sup>+</sup>**  
HUMAN ASSETS

**75,000**  
CBM LIQUID  
TERMINAL

**105,000**  
FULL TRUCK LOADS  
(FTL) PER ANNUM

**USD 160**  
MILLION COMPANY

**300,000**  
MT PER ANNUM  
LIQUID HANDLING

**4**  
CONTINENT  
PRESENCE

**450,000**  
MT PER ANNUM OF POLYMER  
- PLATFORM HANDLING

**3 MILLION**  
FREIGHT TONS PER ANNUM



# OVERLAND TRANSPORT



## DELIVERING END-TO-END SOLUTIONS EFFICIENTLY

**ATS** General Land Transport is a sub-division of **ATS** world group of companies. We believe in asset-based operations having our own fleet over 450 trucks and trailers catering to local transport within UAE as well as within the Gulf countries. **ATS** handles approximately 105,000 Full truckloads (FTL) per annum. Having an in-house land transport division ensures prompt service to clients by understanding their requirements and delivering on them through superior quality of service and timely deliveries. Having its own fleet of custom-built road tankers, **ATS** specializes in the handling and transportation of hazardous and non-hazardous liquids and chemicals.

## OUR FLEET

Our trucking fleet consists of Mercedes, Volvo and Scania trucks. ATS has one of the largest BOX trailer fleet in the UAE. The various types of trucks/trailers under one fleet are GPS fitted for tracking:

- ▶ FLAT BED TRAILER
- ▶ CURTAIN -SIDED TRAILER (TAUTLINER)
- ▶ ROAD TANKER
- ▶ SKELETON TRAILER
- ▶ BOX TRAILER
- ▶ REEFER TRAILER
- ▶ CUSTOMIZED TRANSPORT EQUIPMENT
- ▶ FLT/LTL
- ▶ CONTAINER TRAILER
- ▶ HEAVY LIFT
- ▶ 3 TON TRUCKS
- ▶ 4.2 TON TRUCKS
- ▶ 8 TON TRUCKS
- ▶ 10 TON TRUCKS
- ▶ 12 TON TRUCKS

## CROSS BORDER CLEARANCE

**ATS** has an office at SILA border, which is the main gate to all the Gulf countries. We provide assistance to all export/import & transit shipments by land in clearing customs. We ensure our customers are seamless, door-to-door shipping service, regardless of the borders your freight needs to cross.



## FLEET DIMENSIONS



12 Mt. Flatbed Trailer



13.6 Mt. Box Trailer



13.6 Mt. Curtain Trailer



13.6 Mt. Reefer Trailer



Lowbed Trailer



Pick-up Truck



## GCC OFFICES (Gulf Countries)

### JEBEL ALI FREE ZONE

ATS Shipping LLC  
Logistics & Distribution  
Plot No: S31111,  
P.O. Box 28533, Dubai, UAE  
Tel: +9714 881 3838

### RAS AL KHAIMAH

ATS General land  
Transport LLC  
Plot No A-15 Rakia  
P.O. Box 86459, U.A.E  
Tel: +9717 243 4646

### SHARJAH

ATS Terminal FZE  
Liquid Terminal  
Plot 3A-09 Hamriyah Free  
Zone, P.O. Box 42276, U.A.E  
Tel: +9716 526 0101

### ABU DHABI

ATS Transport & Shipping LLC  
Land Transport  
Office 12 Plot 11, Musaffah  
P.O. box 37561, U.A.E  
Tel: +9712 555 7272

### OMAN

ATS Logistics LLC  
Warehouse & Distribution  
ATS LOGISTICS LLC  
P.O. Box 971, Sohar  
Tel: +968 26750608

### KINGDOM OF BAHRAIN

ATS Logistics WLL  
Transportation & Logistics  
Building 1068, Flat no 25.  
Block no 215, Road 1527  
P.O. Box 23341, Muharraq  
Tel: +973 17340161  
Fax: +973 17340122



Plot No: S31111 | P.O. Box 28533 | Jebel Ali | Dubai | U.A.E  
Tel.: +9714 881 3838 | [info@atsworld.co](mailto:info@atsworld.co) | [www.atsworld.com](http://www.atsworld.com)



# AIR FREIGHT



## FLY HIGH WITH ATS

**ATS's** offers airfreight which spans across a wide network, providing our clients with a range of rapid and cost-effective delivery solutions to match their business requirements. Staying true to its mission, **ATS** remains committed to their clients and overseas partners. **ATS** is totally dedicated to making its airfreight service competitive, but without compromising on quality. **ATS** have strong affiliations with all major airlines, offering the best rates and flexibility, which can fit into a realistic budget.

## SIMPLIFIED DOCUMENTATION

- ▶ We are committed to provide flawless Air Freight service to gain peace of mind
- ▶ We swiftly handle specialized documentation for shipping to certain countries, such as those in the Middle East
- ▶ We arrange Certificate of Origin, Cargo Insurance and much more

## VALUE ADDED SERVICES

- ▶ FREIGHT & CARGO INSURANCE
- ▶ CONSOLIDATION & HANDLING
- ▶ CUSTOMS CLEARANCE & BROKERAGE
- ▶ TRUCKING & WAREHOUSING
- ▶ AIR LIFTING CARS & VEHICLES
- ▶ MULTI-MODAL ARRANGEMENT (AIR/SEA, AIR/LAND)
- ▶ CARGO COURIER (DOOR TO DOOR)
- ▶ HOLDERS OF EMIRATES AIRWAY BILL STOCK



## TYPES OF AIRCRAFTS

**Pax version:** (passenger aircraft) - Height 60-160 cm (depending on aircraft type), maximum weight up to 35 tonnes (depending on number of passengers)

**Freighter:** Cargo aircraft used only for the shipment of goods. Up to 300 cm load height (main deck) and max. load weight of up to 140 tonnes (depending on aircraft type)

**Combi:** Follows the design of a freighter provides the best possible combination between freight and passenger; max. load height is 250 cm to 300 cm.

MODEL	MAX. HEIGHT OF CARGO HOLD
McDonnell Douglas	MD-81/MD-87 73 cm
Boeing 727:	111 cm
Boeing 737:	86 cm
Fokker 100:	60 cm
Fokker 50:	65 cm
Airbus 320:	114 cm
Airbus 330/340/380:	160 cm
Boeing 747/763 (pax version):	160 cm
McDonnell Douglas MD 11:	160 cm
MD 11F (freighter):	240 cm
Boeing 747 (freighter & combi):	300 cm
Boeing 777 (freighter):	300 cm

## MEASUREMENT TABLE

LENGTHS	WEIGHTS
1 INCH = 2.5400 CM	1 POUND = 0.4536 KG
1 CM = 0.3937 INCH	1 KG = 2.2046 POUND
1 FOOT = 0.3048 METER	
1 METER = 3.2808 FOOT	



Plot No: S31111 | P.O. Box 28533 | Jebel Ali | Dubai | U.A.E  
Tel.: +9714 881 3838 | [info@atsworld.co](mailto:info@atsworld.co) | [www.atsworld.com](http://www.atsworld.com)







# SEA FREIGHT

## MANAGING YOUR REQUIREMENTS BETTER

As one of the leading Ocean Freight Forwarders, **ATS** offers efficient sea freight solutions customized to your needs. **ATS** has a global network of a highly skilled team and long-term relationships with all major shipping lines. **ATS** ensures our clients with access to major routes / ports globally, with the best transit times, fully flexible scheduling, and space protection agreements to meet your individual shipping needs.

## WITH ATS YOU ARE IN EXPERIENCED HANDS

**ATS** handles an annual volume of approximately 100,000 TEUs (Twenty feet equivalent units) worldwide and having contract rates with major carriers like Maersk, Safmarine, MSC, CSAV, and CMA, gives **ATS** an edge over the rest. This ensures that clients receive the most competitive rates and service quality that are second-to-none.

## SEA FREIGHT - FEATURES












- Carrier relationship in Global level leads to competitive Freight
- Contractual Freight agreement guarantee vessel space
- Strong networking in the Middle East to USA, Europe, Mediterranean, Africa and Asia tradelanes with carriers
- Recipient of Platinum and Gold Awards from the main Global Ocean Carriers for a decade
- Owned container transport trailer network bolsters the land activities to connect the ocean containers to hinterlands in UAE, Middle East, India, West Europe and USA
- Being part of the **WCA Network** connects to more than 6000+ agents globally
- Primary focus on industry logistics for commodities ranging from **Petrochemical, Glass, Steel, Building Materials, Foodstuff, Automotive**, etc



## OCEAN FREIGHT SERVICES

- ▶ CONTAINER FREIGHTING (FCL & LCL)
- ▶ HAZARDOUS CARGO
- ▶ SPECIAL EQUIPMENT
- ▶ PROJECT & BREAKBULK
- ▶ CUSTOMS CLEARANCE
- ▶ TRANSPORT & WAREHOUSING
- ▶ CARGO INSURANCE
- ▶ MULTIMODAL TRANSPORT

## CONTAINER SPECIFICATIONS

SIZE	INTERIOR DIMENSIONS	DOOR OPENING	OPENING TOP	WEIGHT KG/LB			VOLUME
				max gross	tare	max payload	
 20' DRY 20' x 8' x 8'6"	L: 5,896 mm 19'4" <sup>1/4</sup> W: 2,350 mm 7'8" <sup>1/2</sup> H: 2,393 mm 7'10" <sup>1/2</sup>	W: 2,338 mm 7'8" <sup>1/4</sup> H: 2,274 mm 7'5" <sup>1/2</sup>		30,480 67,200	2,280 5,030	28,200 62,170	33.0 cbm 1,165 cu ft
 40' HIGH CUBE DRY 40' x 8' x 9'6"	L: 12,032 mm 39'5" <sup>11/16</sup> W: 2,350 mm 7'8" <sup>1/2</sup> H: 2,687 mm 8'10" <sup>1/2</sup>	W: 2,340 mm 7'8" <sup>1/4</sup> H: 2,577 mm 8'5" <sup>1/2</sup>		32,500 71,650	3,880 8,554	28,620 63,100	76.0 cbm 2,664 cu ft
 40' DRY 40' x 8' x 9'6"	L: 12,032 mm 39'5" <sup>11/16</sup> W: 2,350 mm 7'8" <sup>1/2</sup> H: 2,363 mm 7'10" <sup>1/2</sup>	W: 2,340 mm 7'8" <sup>1/4</sup> H: 2,274 mm 7'5" <sup>1/2</sup>		32,800 71,850	3,700 8,157	28,800 63,483	67 cbm 2,366 cu ft
 20' REEFER 20' x 8' x 8'6" Temp +30°C to -30°C	L: 5,451 mm 17'10" <sup>1/4</sup> W: 2,290 mm 7'6" <sup>1/2</sup> H: 2,167 mm 7'1" <sup>1/2</sup> * * Height to red load line	W: 2,290 mm 7'6" <sup>1/4</sup> H: 2,212 mm 7'3" <sup>1/2</sup>		30,480 67,200	2,990 6,591	27,490 60,600	27 cbm 953 cu ft
 40' HIGH CUBE REEFER 40' x 8' x 9'6" Temp +30°C to -30°C	L: 11,580 mm 37'11" <sup>1/4</sup> W: 2,276 mm 7'5" <sup>1/2</sup> H: 2,415 mm 7'11" <sup>1/2</sup> * * Height to red load line	W: 2,276 mm 7'5" <sup>1/4</sup> H: 2,471 mm 8'1" <sup>1/2</sup>		34,000 74,957	4,520 9,965	29,480 64,992	67.5 cbm 2,384 cu ft
 20' OPEN TOP 20' x 8' x 8'6"	L: 5,919 mm 19'5" W: 2,346 mm 7'8" <sup>1/4</sup> H: 2,286 mm 7'6"	W: 2,286mm 7'6" H: 2,253 mm 7'4" <sup>11/16</sup>	L: 5,490 mm 18'1" <sup>1/4</sup> W: 2,223 mm 7'3" <sup>1/2</sup>	30,480 67,196	2,280 5,027	28,000 61,728	
 40' OPEN TOP 40' x 8' x 8'6"	L: 12,192 mm 40' W: 2,338 mm 7'8" <sup>1/4</sup> H: 2,288 mm 7'6" <sup>1/2</sup>	W: 2,289 mm 7'6" <sup>1/16</sup> H: 2,253 mm 7'4" <sup>11/16</sup>	L: 11,810 mm 38'9" <sup>11/16</sup> W: 2,223 mm 7'3" <sup>1/2</sup>	32,750 72,090	4,500 9,918	28,700 63,728	
 40' HIGH OPEN TOP 40' x 8' x 9'6"	L: 12,192 mm 40' W: 2,348 mm 7'8" <sup>1/4</sup> H: 2,653 mm 8'8" <sup>1/4</sup>	W: 2,288 mm 7'6" H: 2,580 mm 8'5" <sup>11/16</sup>	L: 11,810 mm 38'9" <sup>11/16</sup> W: 2,223 mm 7'3" <sup>1/2</sup>	30,480 67,196	4,000 8,818	26,480 58,377	
 40' FIXED CORNER FLAT RACK 40' x 8' x 8'6"	L: 12,192 mm 40' W: 2,438 mm 8' H: 1940 mm 6'4" <sup>1/2</sup>	Length between: Headers: 12,080 mm 39'7" <sup>1/2</sup> Corner posts angle: 11,796 mm 38'5" <sup>1/2</sup>		40,000 88,183	5,500 12,128	34,500 76,058	2,114 6'11" <sup>1/2</sup>
 40' FLUSH FOLD FLAT RACK 40' x 8' x 8'6"	L: 12,192 mm 40' W: 2,438 mm 8' H: 1940 mm 6'4" <sup>1/2</sup>	12,058 mm 39'6" <sup>11/16</sup>	11,662 mm 38'3" <sup>1/2</sup>	40,000 88,183	5,500 12,128	34,500 76,058	2,224 7'3" <sup>1/2</sup>
 40' HIGH FLAT RACK 40' x 8' x 9'6"	L: 12,192 mm 40' W: 2,438 mm 8' H: 2,260 mm 7'4" <sup>11/16</sup>	12,050 mm 39'6" <sup>11/16</sup>	11,662 mm 38'3" <sup>1/2</sup>	52,500 111,741	5,300 11,664	47,200 104,056	2,224 7'3" <sup>1/2</sup>



Plot No: S31111 | P.O. Box 28533 | Jebel Ali | Dubai | U.A.E  
Tel.: +9714 881 3838 | info@atsworld.co | www.atsworld.com



## WAREHOUSE & PLATFORM LOGISTICS

**ATS** having state-of-the-art warehousing facility inside Jebel Ali Free zone for storing both dry as well as temperature control cargo. This is complemented by own fleet of transport to distribute all over UAE as well as to any Gulf Countries by road. Our warehouses are bonded and customs approved which makes transaction easier.

We also manage leased warehouses in European and Indian sector as per customer's long term requirement to handle followings.

- ▶ PLATFORM & LABOUR RESOURCES
- ▶ IN-PLANT LOGISTICS
- ▶ PACKAGING & PALLETIZING
- ▶ STORING & STACKING
- ▶ TRANSPORTATION





## VALUE ADDED SERVICES

- ▶ SOURCING PACKAGING MATERIALS
- ▶ PALLETIZING & SHRINK-WRAPPING
- ▶ CUSTOMS CLEARANCE
- ▶ DOCUMENTATION
- ▶ DOCUMENTATION
- ▶ STOCK KEEPING & INVENTORY CONTROL
- ▶ MANPOWER ARRANGEMENT



# ATS

Logistics Redefined

Plot No: S31111 | P.O. Box 28533 | Jebel Ali | Dubai | U.A.E

Tel.: +9714 881 3838 | [info@atsworld.co](mailto:info@atsworld.co) | [www.atsworld.com](http://www.atsworld.com)



# LIQUID TANK TERMINALS

## HAMRIYAH FREE ZONE, SHARJAH, UAE

This state-of-the-art Liquid storage terminal has an existing capacity of 41,000 cubic meters (with further expansion of another 60,000 cubic meter in phase 3) for storing all Class Petroleum & Petrochemicals products like Base oil, Gas oil, Fuel oil, Xylene, Toluene & Naphtha etc. Two dedicated Deepwater berths (Main & Inner Harbor) makes it an ideal hub for trans-shipment and redistribution to the Middle East, Indian subcontinent and East Africa region.

## NEW MANGALORE, PORT AREA, INDIA

The new terminal of Raftaar near New Mangalore port is built with the state-of-the-art specifications complying with international safety standards. It can handle a spectrum of petroleum products like Naphtha, Gas oil, Motor spirit, Base oil, Petrochemicals, as well as Aviation Turbine Fuel (under the approval of DGCA India to cater to the Aviation Industry). Raftaar terminal has a total of 6 tanks with capacities ranging from 5375 CBM to 6400 CBM, adding to a total of 34600 CBM, having four separate dock lines to Petroleum & Petrochemical products from New Mangalore port to the Terminal.

We are adding 4 new tanks within the next 6-8 months which will increase the overall capacity to approx. 51,000 cbm. We propose to store Motor Spirit & Ethanol in these above mentioned tanks. In addition we will have blending & dosing arrangements to meet BS VI standard which MoEF, Govt of India propose to implement from 2018.



## INSTRUMENTATION

- State of art automation system PLC controls
- Batch controllers facility for Truck loading
- Tank Radar Gauging Devices
  - Level controlled by radars



## EXTRA FEATURES

- ▶ DEDICATED TRUCK LOADING BAYS FOR EACH TANKS.
- ▶ INTER TANK TRANSFER FACILITY
- ▶ WEIGHBRIDGE FACILITY
- ▶ WATER DRAINING FACILITY
- ▶ ROUND THE CLOCK POWER BACK UP WITH GENERATORS & UPS
- ▶ AUTOMATED FIREFIGHTING SYSTEM WITH SPRINKLERS - FIRE WATER TANK CAPACITY 6000 CBM
- ▶ SECURITY SYSTEM WITH CCTV CAMERA
- ▶ TRUCKING & DISTRIBUTION FACILITY - PLANNED 20 ROAD TANKERS.

**CARGO PUMPING FACILITIES** from Terminal storage tanks to ship tanks are available with the capacity of 800 cubic per hour. Provisions are provided to enhance the pumping capacity suiting to client requirement.

**SHIPMENT HOSE** of various sizes & length of shipment hose of stainless steel wire braided corrugated hoses and composite hoses available.

### ROAD TANKER LOADING / UNLOADING FACILITIES

Dedicated loading / unloading facilities for each tanks provided. Skid loading / unloading facilities for class A tanks. Cargo discharge / delivery is monitored / recorded through flow meter, weighbridge (capacity 100 metric tonnes).

### RADAR GAUGING FACILITIES

All the tanks cargo stocks are monitored, recorded on hourly basis through Raptor gauging system, latest software & networking system is done and reports are generated through email facilities.

### FIRE FIGHTING

Automated fire fighting with sprinkler, hydrant system provided with diesel driven pump as back up. Security System with CCTV camera to monitor and recording round the clock.



Plot No: S31111 | P.O. Box 28533 | Jebel Ali | Dubai | U.A.E  
Tel.: +9714 881 3838 | [info@atsworld.co](mailto:info@atsworld.co) | [www.atsworld.com](http://www.atsworld.com)





**UAE: Jebel Ali, Dubai (Head office) • Sharjah • Ras Al Khaimah • Abu Dhabi**  
**USA • BELGIUM • INDIA • BAHRAIN • OMAN**

**ATS**

*Logistics Redefined*

Plot No: S31111 | P.O. Box 28533 | Jebel Ali | Dubai | U.A.E

Tel.: +9714 881 3838 | [info@atsworld.co](mailto:info@atsworld.co) | [www.atsworld.com](http://www.atsworld.com)

